

Varia classic

POLTRONCINA / CHAIR

MPIÙ

CODE: **VAC1001** - **VAC101** - VAC103 - VAC401



VAC1001



VAC101

DETTAGLI TECNICI

STRUTTURA

Schienale e poggiatesta (se presente) in nylon rinforzato e alluminio pressofuso lucido, sedile in legno multistrato spessore 12mm.

IMBOTTITURA

Schienale PU flessibile densità 30kg/m³, tessuto microfibra portante interposto in ovatta resinata. Poggiatesta (se presente) in PU schiumato a freddo, sedile in PU flessibile schiumato a freddo, densità 55 kg m³.

SUPPORTO LOMBARE

Supporto lombare imbottito e regolabile in altezza.

BASAMENTO

5 razze in alluminio pressofuso lucidato, Ø base 660mm.

RUOTE / PIEDINO FISSO

Ruote Ø 65mm frenate, tipo W gommate per pavimenti duri e parquet con battistrada morbido.

MECCANISMO

Meccanismo sincro con antishock, 4 posizioni di bloccaggio inclinazione, inclinazione schienale di 21° e sedile di 10°. Leva comando h. sedile e profondità seduta. Manopola reg. intensità spinta schienale.

BRACCIOLI

In alluminio pressofuso, lucidati, con pad in PU Morbido nero.

TECHNICAL DETAILS

STRUCTURE

Backrest and headrest(if present) in reinforced nylon and polished die-cast aluminum, seat in multilayer wood 12mm thick.

PADDING

Flexible PU backrest density 30kg / m³, microfibre carrying fabric interposed in resinated cotton wool. Headrest (if present) in cold-foamed PU. seat in flexible cold-foamed PU, density 55 kg m / ³.

LUMBAR SUPPORT

Lumbar support padded and adjustable in height.

BASE STRUCTURE

5 spokes base in polished die-cast aluminum, base Ø 660mm.

WHEELS / FIXED FEET

Ø 65mm braked wheels, type W rubber for hard floors and parquet with soft tread.

MECHANISM


Synchro mechanism with antishock, 4 inclination lock positions, 21 ° backrest inclination and 10 ° seat. Control lever h. seat and sitting profodity. Back push intensity adjustment knob.

ARMS

Made of die-cast aluminum, polished, with black soft PU pad.


VAC1001

box m³
0,60



VAC101

box m³
0,50



Rivestimenti /Upholstery

CAT. B

- Mirage
- Secret

CAT. C

- Hot
- Extrema AU

Basamento / Base structure



Alluminio lucidato
Polished aluminum

Varia classic

POLTRONCINA / CHAIR

MPIÙ

CODE: VAC1001 - VAC101 - **VAC103** - VAC401



VAC103

DETTAGLI TECNICI

STRUTTURA

Schienale in nylon rinforzato e alluminio pressofuso lucido, sedile in legno multistrato spessore 12mm.

IMBOTTITURA

Schienale PU flessibile densità 30kg/m³, tessuto microfibra portante interposto in ovatta resinata. Sedile in PU flessibile schiumato a freddo, densità 55 kg m³.

SUPPORTO LOMBARE

Supporto lombare imbottito e regolabile in altezza.

BASAMENTO

5 razze in alluminio pressofuso lucidato, Ø base 660mm.

RUOTE / PIEDINO FISSO

Ruote Ø 60mm con battistrada morbido, parte esterna cromata.

MECCANISMO

Meccanismo sincro con antishock, 4 posizioni di bloccaggio inclinazione, inclinazione schienale di 21° e sedile di 10°. Leva comando h. sedile e profondità seduta. Manopola reg. intensità spinta schienale.

BRACCIOLI

Braccioli 3D in nylon nero con pad morbido in PU, regolabili in altezza, profondità e larghezza.

TECHNICAL DETAILS

STRUCTURE

Backrest in reinforced nylon and polished die-cast aluminum, seat in multilayer wood 12mm thick.

PADDING

Flexible PU backrest density 30kg / m³, microfibre carrying fabric interposed in resinated cotton wool. Seat in flexible cold-foamed PU, density 55 kg m³.

LUMBAR SUPPORT

Lumbar support padded and adjustable in height.

BASE STRUCTURE

5 spokes base in polished die-cast aluminum, base Ø 660mm.

WHEELS / FIXED FEET

Ø 60mm wheels with soft tread, chromed outer part.

MECHANISM


Synchro mechanism with antishock, 4 inclination lock positions, 21 ° backrest inclination and 10 ° seat. Control lever h. seat and sitting profodity. Back push intensity adjustment knob.

ARMS

3D armrests in black nylon with soft PU pad, adjustable in height, depth and width.

VAC103

box m³
0,50



Rivestimenti / Upholstery

CAT. B

- Xtreme

CAT. C

- Extrema AU

CAT. T

- Tonica 2

Basamento / Base structure



Alluminio lucidato
Polished aluminum

Varia classic

POLTRONCINA / CHAIR

MPIÙ

CODE: VAC1001 - VAC101 - VAC103 - **VAC401**



VAC401

DETTAGLI TECNICI

STRUTTURA

Schienale in nylon rinforzato con supporti in acciaio cromato, sedile in legno multistrato spesso 12mm.

IMBOTTITURA

Schienale PU flessibile densità 30kg/m³, tessuto microfibra portante interposto in ovatta resinata. Sedile in PU flessibile schiumato a freddo, densità 55 kg m³.

BASAMENTO

Slitta in tubo di acciaio Ø 25mm con finitura cromata.

RUOTE / PIEDINO FISSO

Piedini in PP.

BRACCIOLI

Braccioli in PP nero.

TECHNICAL DETAILS

STRUCTURE

Reinforced nylon backrest with chromed steel supports, seat in multi-layer wood 12mm thick.

PADDING

Flexible PU backrest density 30kg / m³, microfibre carrying fabric interposed in resinated cotton wool. Seat in flexible cold-foamed PU, density 55 kg m³.

BASE STRUCTURE

Sled in Ø 25mm steel tube with chrome finish.

WHEELS / FIXED FEET


PP feet.

ARMS

Black PP armrests.

VAC401

box m³
0,35



Rivestimenti / Upholstery

CAT. B

- Xtreme

CAT. C

- Extrema AU

CAT. T

- Tonica 2

Basamento / Base structure



Cromo
Chrome